

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1009	@ay<"2004" and "709".clas. and ttl	US-PGPUB; USPAT	OR	ON	2007/12/21 05:37
S2	6	@ay<"2004" and "709".clas. and ((stor \$3 or sav\$3) with (small\$3 or least) with ttl)	US-PGPUB; USPAT	OR	ON	2007/12/21 05:51
S3	0	@ay<"2004" and "709".clas. and ((stor \$3 or sav\$3) with (small\$3 or least) with ttl) and ((set\$4 or adjust\$3) with TTL with (small\$3 or least))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:51
S4	1	"709".clas. and ((stor \$3 or sav\$3) with (small\$3 or least) with ttl) and ((set\$4 or adjust\$3) with TTL with (small\$3 or least))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:51
S5	1	"709".clas. and ((stor \$3 or sav\$3) with (small\$3 or least) with ttl) and ((set\$4 or adjust\$3) with TTL with (small\$3 or least or low\$3 or minimal or minimum))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:54
S6	14	((stor\$3 or sav\$3) with (small\$3 or least) with ttl) and ((set\$4 or adjust\$3) with TTL with (small\$3 or least or low\$3 or minimal or minimum))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:54

S7	0	@ay<"2004" and "709".clas. and ((stor\$3 or sav\$3) with (small\$3 or least) with (ttl or (time adj to adj live))) and ((set\$4 or adjust\$3) with TTL with (small\$3 or least or low\$3 or minimal or minimum))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:55
S8	1	"709".clas. and ((stor\$3 or sav\$3) with (small\$3 or least) with (ttl or (time adj to adj live))) and ((set\$4 or adjust\$3) with TTL with (small\$3 or least or low\$3 or minimal or minimum))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:55
S9	14	((stor\$3 or sav\$3) with (small\$3 or least) with (ttl or (time adj to adj live))) and ((set\$4 or adjust\$3) with TTL with (small\$3 or least or low\$3 or minimal or minimum))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:58
S10	14	((stor\$3 or sav\$3) with (small\$3 or least) with (ttl or (time adj to adj live))) and ((set\$4 or adjust\$3) with (ttl or (time adj to adj live)) with (small\$3 or least or low\$3 or minimal or minimum))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:58
S11	14	((stor\$3 or sav\$3 or record\$3) with (small\$3 or least) with (ttl or (time adj to adj live))) and ((set\$4 or adjust\$3) with (ttl or (time adj to adj live)) with (small\$3 or least or low\$3 or minimal or minimum))	US-PGPUB; USPAT	OR	ON	2007/12/21 05:59
S12	11	((stor\$3 or sav\$3 or record\$3) with (small\$3 or least) with (ttl or (time adj to adj live))) and "709".clas. and @ay<"2004"	US-PGPUB; USPAT	OR	ON	2007/12/21 06:01

S13	17	((stor\$3 or sav\$3 or record\$3) with (small\$3 or least or short\$3) with (ttl or (time adj to adj live))) and "709".clas. and @ay<"2004"	US-PGPUB; USPAT	OR	ON	2007/12/21 07:00
S14	6	S13 not S12	US-PGPUB; USPAT	OR	ON	2007/12/21 07:01
S15	19	((stor\$3 or sav\$3 or record\$3) with (small\$3 or least or short\$3) with (ttl or (time adj to adj live))) and "709".clas. and @ay<"2005"	US-PGPUB; USPAT	OR	ON	2007/12/21 08:05
S16	2	S15 not S13	US-PGPUB; USPAT	OR	ON	2007/12/21 08:07
S17	34	((stor\$3 or sav\$3 or record\$3) with (ttl or (time adj to adj live))) and ((small\$3 or least or short\$3) with (ttl or (time adj to adj live))) and "709".clas. and @ay<"2004"	US-PGPUB; USPAT	OR	ON	2007/12/21 08:15
S18	1	"709".clas. and @ay<"2004" and ((stor\$3 or sav\$3 or record\$3) with (small\$3 or little\$2 or short\$2) with packet with TTL)	US-PGPUB; USPAT	OR	ON	2007/12/21 08:35
S19	7	@ay<"2004" and ((stor\$3 or sav\$3 or record\$3) with (small\$3 or little\$2 or short\$2) with packet with TTL)	US-PGPUB; USPAT	OR	ON	2007/12/21 08:37
S20	7	@ay<"2005" and ((stor\$3 or sav\$3 or record\$3) with (small\$3 or little\$2 or short\$2) with packet with TTL)	US-PGPUB; USPAT	OR	ON	2007/12/21 08:38
S21	7	((stor\$3 or sav\$3 or record\$3) with (small\$3 or little\$2 or short\$2) with packet with TTL)	US-PGPUB; USPAT	OR	ON	2007/12/21 08:38

S22	7	((stor\$3 or sav\$3 or record\$3) with (small \$3 or little\$2 or short \$2) with packet with (TTL or (time adj to adj live)))	US-PGPUB; USPAT	OR	ON	2007/12/21 08:39
S23	8	((stor\$3 or sav\$3 or record\$3) with (small \$3 or little\$2 or short \$2) with (packet or datagram or package) with (TTL or (time adj to adj live)))	US-PGPUB; USPAT	OR	ON	2007/12/21 08:39
S24	1	S23 not S22	US-PGPUB; USPAT	OR	ON	2007/12/21 08:39
S25	109	@ay<"2004" and "709".clas. and ((small \$3 or short\$3 or least or little\$2) with (TTL or (time adj to adj live)))	US-PGPUB; USPAT	OR	ON	2007/12/21 08:42
S26	63	@ay<"2004" and "709".clas. and ((small \$3 or short\$3 or least or little\$2) with (TTL or (time adj to adj live))) and ((set\$4 or sav\$3 or stor\$3 or record\$3) with TTL)	US-PGPUB; USPAT	OR	ON	2007/12/21 08:43
S27	38	@ay<"2004" and "709".clas. and ((small \$3 or short\$3 or least or little\$2) with (TTL or (time adj to adj live))) and ((set\$4 or sav\$3 or stor\$3 or record\$3) with TTL with (small\$3 or short \$3 or least or little\$2))	US-PGPUB; USPAT	OR	ON	2007/12/21 08:43
S28	38	@ay<"2004" and "709".clas. and ((set\$4 or sav\$3 or stor\$3 or record\$3) with TTL with (small\$3 or short \$3 or least or little\$2))	US-PGPUB; USPAT	OR	ON	2007/12/21 08:52

S29	32	@ay<"2004" and "709".clas. and ((set\$4 or sav\$3 or stor\$3) with (TTL or (time adj to adj live)) with (small\$3 or short\$3 or least or little\$2))	US-PGPUB; USPAT	OR	ON	2007/12/21 08:57
S30	109	@ay<"2004" and "709".clas. and ((TTL or (time adj to adj live)) with (small\$3 or short\$3 or least or little\$2))	US-PGPUB; USPAT	OR	ON	2007/12/21 09:14
S31	77	S30 not S29	US-PGPUB; USPAT	OR	ON	2007/12/21 09:14
S32	1	"6671737".pn.	US-PGPUB; USPAT	OR	ON	2007/12/21 09:25
S33	0	(TTL with (small\$3 or low\$3) with timestamp)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/05 20:27
S34	66	(TTL with (small\$3 or low\$3)) and timestamp	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/05 20:28
S35	2	(TTL with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$3)) and timestamp	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/05 20:31
S36	2	(TTL with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$5)) and timestamp	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/05 20:31
S37	101	(TTL with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$5))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/05 20:33
S38	3	(TTL with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$5) with only)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/05 20:33

S39	35	(TTL with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$5)) and (time with (stor\$3 or sav\$3 or replac\$5) with ttl)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/05 20:35
S40	2	"20050102549"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:14
S41	3	2002\0002035	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:38
S42	3	"20020002035"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:38
S43	50	@ay<"2004" and "709".clas. and (ttl with (set\$4 or stor\$3 or chang\$3) with (minimum or least or small\$4 or low or lower or lowest))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/16 18:42
S44	36	((TTL or (time adj to adj live)) with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$5)) and (time with (stor\$3 or sav\$3 or replac\$5) with ttl)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:40
S45	146	((TTL or (time adj to adj live)) with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$5 or writ\$3 or (over adj writ\$3)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:42
S46	109	@ay<"2005" and ((TTL or (time adj to adj live)) with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$5 or writ\$3 or (over adj writ\$3)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:43

S47	0	@ay<"2005" and ((TTL or (time adj to adj live)) with (small\$3 or low\$3) with (stor\$3 or sav\$3 or replac\$5 or writ\$3 or (over adj writ\$3))) and (time adj to adj live)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:45
S48	0	@ay<"2005" and ((TTL or (time adj to adj live)) same (small \$3 or low\$3) same(stor \$3 or sav\$3 or replac \$5 or writ\$3 or (over adj writ\$3))) and (time adj to adj live)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:46
S49	0	@ay<"2005" and ((TTL or (time adj to adj live)) same (small \$3 or low\$3) same(stor \$3 or sav\$3 or replac \$5 or writ\$3 or (over adj writ\$3))) and (time adj "to" adj live)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:46
S50	0	@ay<"2005" and ((TTL or (time adj to adj live)) same (small \$3 or low\$3 or least) same (stor\$3 or sav\$3 or replac\$5 or writ\$3 or (over adj writ\$3))) and (time adj "to" adj live)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:46
S51	0	@ay<"2005" and ((TTL or (time adj to adj live)) same (small \$3 or low\$4 or least or minimum) same (stor \$3 or sav\$3 or replac \$5 or writ\$3 or (over adj writ\$3))) and (time adj "to" adj live)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:47
S52	0	((TTL or (time adj to adj live)) same (small \$3 or low\$4 or least or minimum) same (stor \$3 or sav\$3 or replac \$5 or writ\$3 or (over adj writ\$3))) and (time adj "to" adj live)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 21:47

S53	0	((TTL or (time adj to adj live)) same (small\$3 or low\$4 or little\$3 or short\$4 or least or minimum) same (stor\$3 or sav\$3 or replac\$5 or writ\$3 or adjust\$3 or chang\$3 or (over adj writ\$3))) and (time adj "to" adj live)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 22:10
S54	5893	((TTL or (time adj to adj live)) same (small\$3 or low\$4 or little\$3 or short\$4 or least or minimum) same (stor\$3 or sav\$3 or replac\$5 or writ\$3 or adjust\$3 or chang\$3 or (over adj writ\$3)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 22:11
S55	471	((TTL or (time adj to adj live)) with (small\$3 or low\$4 or little\$3 or short\$4 or least or minimum) with (stor\$3 or sav\$3 or replac\$5 or writ\$3 or adjust\$3 or chang\$3 or (over adj writ\$3)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 22:12
S56	329	@ay<"2005" and ((TTL or (time adj to adj live)) with (small\$3 or low\$4 or little\$3 or short\$4 or least or minimum) with (stor\$3 or sav\$3 or replac\$5 or writ\$3 or adjust\$3 or chang\$3 or (over adj writ\$3)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 22:14
S57	63	@ay<"2005" and ((TTL or (time adj to adj live)) with (small\$3 or low\$4 or little\$3 or short\$4 or least or minimum) with (stor\$3 or sav\$3 or replac\$5 or writ\$3 or adjust\$3 or chang\$3 or (over adj writ\$3))) and (time near2 live)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/10/20 22:14

EAST Search History (Interference)

< This search history is empty >

10/ 22/ 09 6:10:51 PM

**C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces
 \ azizul10820591.wsp**